https://dspace.mm-aist.ac.tz

Life sciences and Bio-engineering

Research Articles [LISBE]

2022-03-13

Development, feasibility and potential effectiveness of community-based continuous mass dog vaccination delivery strategies: lessons for optimization and replication

Duamor, Christian

bioRxiv

https://doi.org/10.1101/2022.03.10.483887

Provided with love from The Nelson Mandela African Institution of Science and Technology

Development, feasibility and potential effectiveness of community-based continuous mass dog vaccination delivery strategies: lessons for optimization and replication

Christian Tetteh Duamor, Katie Hampson, Felix Lankester, Ahmed Lugelo, Emmanuel Mpolya, Katharina Kreppel, Sarah Cleaveland, Sally Wyke

To download the complete text, click that link.

DOI: http://dx.doi.org/10.1101/2022.03.10.483887

Abstract

Objectives Dog vaccination can eliminate rabies, but annual delivery strategies do not sustain vaccination coverage between campaigns. We describe the development of a community-based continuous mass dog vaccination (CBC-MDV) approach designed to improve and maintain vaccination coverage in Tanzania and examine the feasibility of delivering this approach as well as lessons for its optimization.

Methods We developed three delivery strategies of CBC-MDV and tested them against the current annual vaccination strategy following the UK MRC's guidance: i) developing an evidence-based theoretical framework of intervention pathways and ii) piloting to test feasibility and inform optimization. For our process evaluation of CBC-MDV we collected data using non-participant observations, meeting reports and implementation audits and in-depth interviews, as well as household surveys of vaccination coverage to assess potential effectiveness. We analyzed qualitative data thematically and quantitative data descriptively.

Results The final design included delivery by veterinary teams supported by village-level one health champions. In terms of feasibility, we found that less than half of CBC-MDV's components were implemented as planned. Fidelity of delivery was influenced by the strategy design, implementer availability and appreciation of value intervention components, and local environmental and socioeconomic events (e.g. elections, funerals, school cycles). CBC-MDV activities decreased sharply after initial campaigns, partly due to lack of supervision. Community engagement and involvement was not strong. Nonetheless, the CBC-MDV approaches achieved vaccination coverage above the critical threshold (40%) all-year-round. CBC-MDV components such as identifying vaccinated dogs, which village members work as one health champions and how provision of continuous vaccination is implemented need further optimization prior to scale up.

Interpretation CBC-MDV is feasible to deliver and can achieve good vaccination coverage. Community involvement in the development of CBC-MDV, to better tailor components to contextual situations, and improved supervision of activities are likely to improve vaccination coverage in future.

AUTHOR SUMMARY Annual mass dog vaccination campaigns that reach at least 70% of the dog population, should maintain sufficient herd immunity between campaigns to interrupt rabies transmission. However, it is often challenging to reach 70% of the dog population with annual vaccination campaigns. We hypothesized that a community-based continuous approach to dog vaccination could better maintain high levels of vaccination coverage all-year-round. We describe the development of a community-based continuous approach to dog vaccination in Tanzania, and assessed the feasibility of delivering its components, its potential effectiveness and lessons for its optimization. We found that the approach was well accepted, as its development involved key stakeholders. Although less than half of the components of the community-based continuous approach were delivered exactly as planned, over 70% of dogs were vaccinated and the approach maintained coverage above the critical vaccination threshold throughout the year. We conclude that it is feasible to deliver a community-based continuous approach to dog vaccination, but that some components need further improvement; more supervision and community involvement should lead to better outcomes.