

2020-12-17

Gaseous complex hydrides NaMH and NaMH (M = B, Al) as hydrogen storage materials: a quantum chemical study.

Tsere, Melkizedeck H

Springer Nature Switzerland AG.

<https://doi.org/10.1007/s00894-020-04601-3>

Provided with love from The Nelson Mandela African Institution of Science and Technology

Gaseous complex hydrides NaMH₄ and Na₂MH₅ (M = B, Al) as hydrogen storage materials: a quantum chemical study

Melkizedeck H. Tsere, Tatiana P. Pogrebnaya & Alexander M. Pogrebnoi

To download full text click that link

DOI: <https://doi.org/10.1007/s00894-020-04601-3>

Abstract

Metal hydrides are feasible for energy storage applications as they are able to decompose with hydrogen gas release. In this work, gaseous complex sodium hydrides, NaMH₄ and Na₂MH₅ (M = B or Al), have been investigated using DFT/B3P86 and MP2 methods with 6-311++G(d,p) basis set; the optimized geometry, vibrational spectra and thermodynamic (TD) properties have been determined. Based on TD approach, a stability of the hydrides to different dissociation channels is analysed; the enthalpies of formation $\Delta_f H^\circ(0)$ of gaseous species have been obtained: -1 ± 17 kJ mol⁻¹ (NaBH₄), 91 ± 14 kJ mol⁻¹ (NaAlH₄), -13 ± 16 kJ mol⁻¹ (Na₂BH₅), and 71 ± 16 kJ mol⁻¹ (Na₂AlH₅). The complex hydrides are confirmed to produce gaseous products with hydrogen gas release at elevated temperature, whereas heterophase reactions, with NaH and B/Al products in condensed state, are predicted to occur spontaneously at lower temperature.

Keywords

Complex metal hydrides; Hydrogen storage; Thermodynamic properties